

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica**Report n° 42658/2024-EN Page 1/8**
Correction of Previous Reports 42658/2024-EN
Issue Date: 16-05-2024Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client n.º: PL1282Dear Sir
Naleczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24****Product:** Water - Natural mineral water, Perlage source**Collection Time:** 8:30**Packaging:** glass bottle**Sample collected by::** Monika Kuś**Capacity:** 500ml

Sampling plan: outside the plan.

Temperature at Reception: 5.4 °C**Comments :** Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.**Temperature at the time of sampling:** 9.7

Sample condition at reception was correct

Assay Method	Result	U	Unit	L.V.	S.C.
(a) Colour CZ_SOP_D06_02_079 (CSN EN ISO 7887)	3.5	1.0	mgPt/l		
(a) Turbidity CZ_SOP_D06_02_074 (CSN EN ISO 7027-1)	48.1	14.4	ZFn (NTU)		
(a) Taste CZ_SOP_D06_04_065 (TNV 75 7340:2005, CSN EN 1622, STN EN 1622)	acceptable TFN1				
(a) Odour CZ_SOP_D06_04_065 (TNV 75 7340:2005, CSN EN 1622, STN EN 1622)	acceptable TON1				
(a) pH Value PN-EN ISO 10523:2012	6.9	0.2			
(a) Electrical Conductivity PN-EN 27888:1999	704	35	uS/cm		
(a) Nitrates ISO 15923-1:2013	<0.22		mg/L	<=10 [85]	C
(a) Nitrites ISO 15923-1:2013	<0.010		mg/L	<=0.1 [85]	C
(a) General cyanides CZ_SOP_D06_02_089.A (CSN 75 7415, CSN EN ISO 14403-2)	<0.005		mg/L	<=0.070 [85]	C
(a) Fluoride CZ_SOP_D06_02_068 (CSN EN ISO 10304-1)	0.331	0.050	mg/L	<=5.0 [85]	C

The report was prepared by:
Emilia Czarnik

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica**Report n° 42658/2024-EN Page 2/8**
Correction of Previous Reports 42658/2024-EN
Issue Date: 16-05-2024Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client n.º: PL1282Dear Sir
Naleczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24****Product:** Water - Natural mineral water, Perlage source**Packaging:** glass bottle**Capacity:** 500ml**Temperature at Reception:** 5.4 °C**Comments :** Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.**Temperature at the time of sampling:** 9.7

Sample condition at reception was correct

Collection Time: 8:30**Sample collected by::** Monika Kuś

Sampling plan: outside the plan.

Assay Method	Result	U	Unit	L.V.	S.C.
(a) Ammonium ion ISO 15923-1:2013	0.828	0.166	mg/L		
(a) Chlorides (Cl) ISO 15923-1:2013	2.7	0.4	mg/L		
(a) Sulphate ISO 15923-1:2013	<5.0		mg/L		
(a) Bromides CZ_SOP_D06_02_068 (CSN EN ISO 10304-1)	<0.060		mg/L		
(a) Bicarbonate CZ_SOP_D06_02_072 (CSN EN ISO 9963-1, CSN EN ISO 9963-2, CSN 75 7373, SM2320)	515	61.8	mg/L		
(a) Non-ionic detergents / NSPCs PB - 477 Issue 1 dated 01.04.2021	<0.3	0.1	mg/L		
(a) Anionic detergents / ASPC PN-EN 903:2002	<0.05	0.02	mg/L		
(a) Silicon calculated as methacosilicic acid PN-EN ISO 11885:2009					
Silicon (Si)	19	2	mg/L		
Silicon calculated as methacosilicic acid	53	5	mg/L		
(a) Manganese CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	0.140	0.01	mg/L	<=0.50 [85]	C

The report was prepared by:
Emilia Czarnik

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica**Report n° 42658/2024-EN Page 3/8**
Correction of Previous Reports 42658/2024-EN
Issue Date: 16-05-2024Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client n.º: PL1282Dear Sir
Naleczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24****Product:** Water - Natural mineral water, Perlage source**Collection Time:** 8:30**Packaging:** glass bottle**Sample collected by::** Monika Kuś**Capacity:** 500ml

Sampling plan: outside the plan.

Temperature at Reception: 5.4 °C**Comments :** Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.**Temperature at the time of sampling:** 9.7

Sample condition at reception was correct

Assay Method	Result	U	Unit	L.V.	S.C.
(a) Iron CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	3570	357	ug/L		
(a) Mercury CZ_SOP_D06_02_096	<0.0000100		mg/L	<=0.0010 [85]	C
(a) Antimony CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	<0.0010		mg/L	<=0.0050 [85]	C
(a) Arsenic CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	0.0042	0.0004	mg/L	<=0.010 [85]	C
(a) Barium CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	0.0442	0.004	mg/L	<=1.0 [85]	C
(a) Boron CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	0.037	0.004	mg/L	<=5.0 [85]	C
(a) Cadmium CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	<0.00020		mg/L	<=0.003 [85]	C
(a) Chromium CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	<0.0010		mg/L	<=0.050 [85]	C
(a) Copper CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)	<0.0010		mg/L	<=1.0 [85]	C

The report was prepared by:
Emilia Czarnik

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica**Report n° 42658/2024-EN Page 4/8**
Correction of Previous Reports42658/2024-EN
Issue Date: 16-05-2024Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client n.º: PL1282Dear Sir
Naleczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24**

Product: <u>Water - Natural mineral water, Perlage source</u> Packaging: <u>glass bottle</u> Capacity: <u>500ml</u> Temperature at Reception: <u>5.4 °C</u> Comments : <u>Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.</u> Temperature at the time of sampling: <u>9.7</u> Sample condition at reception was correct	Collection Time: <u>8:30</u> Sample collected by:: <u>Monika Kuś</u> Sampling plan: outside the plan.
---	---

Assay <i>Method</i>	Result	U	Unit	L.V.	S.C.
(a) Lead <small>CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)</small>	<0.0010		mg/L	<=0.010 [85]	C
(a) Nickel <small>CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)</small>	<0.0020		mg/L	<=0.020 [85]	C
(a) Selenium <small>CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)</small>	<0.0010		mg/L	<=0.010 [85]	C
(a) Lithium <small>CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)</small>	15.6	1.6	ug/L		
(a) Sodium <small>CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)</small>	8780	878	ug/L		
(a) Potassium <small>CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)</small>	3150	315	ug/L		
(a) Strontium <small>CZ_SOP_D06_02_002 (US EPA 200.8, CSN EN ISO 17294-2, US EPA 6020A, CSN 75 7358)</small>	1270	127	ug/L		
(a) Radon <small>CZ_SOP_D06_07_363.C (CSN 75 7625)</small>	<5.0		Bq/L		
(a) Radium 226 <small>CZ_SOP_D06_07_376 (CSN EN ISO 22908)</small>	<0.020		Bq/L		

*Emilia Czarnik*The report was prepared by:
Emilia Czarnik

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica**Report n° 42658/2024-EN Page 5/8**
Correction of Previous Reports 42658/2024-EN

Issue Date: 16-05-2024

Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client n.º: PL1282Dear Sir
Naleczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24****Product:** Water - Natural mineral water, Perlage source**Packaging:** glass bottle**Capacity:** 500ml**Temperature at Reception:** 5.4 °C**Comments :** Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.**Temperature at the time of sampling:** 9.7

Sample condition at reception was correct

Collection Time: 8:30**Sample collected by::** Monika Kuś

Sampling plan: outside the plan.

Assay Method	Result	U	Unit	L.V.	S.C.
(a) Radium 228 CZ_SOP_D06_07_376 (CSN EN ISO 22908)	<0.020		Bq/L		
(a) Tritium CZ_SOP_D06_07_365 (CSN EN ISO 9698)	<10		Bq/L		
(a) Indicative dose CZ_SOP_D06_07_372	<0.001		mSv/rok		
(a) PAHs (polycyclic aromatic hydrocarbons) CZ_SOP_D06_03_161 except 10.1.3 - 10.1.5 (US EPA 8270D, US EPA 8082A, CSN EN ISO 6468, US EPA 8000D)					
Benzo(b)fluoranthene	<0.0020		ug/L		
Benzo(k)fluoranthene	<0.0020		ug/L		
Benzo(a)pyrene	<0.0020		ug/L		
Indeno(1.2.3.cd)pyrene	<0.0020		ug/L		
Benzo(g,h,i)perylene	<0.0020		ug/L		
(a) Polychlorinated biphenyls (PCB); Sum of PCBs CZ_SOP_D06_03_161 except 10.1.3 - 10.1.5 (US EPA 8270D, US EPA 8082A, CSN EN ISO 6468, US EPA 8000D)					
PCB 28	<0.00110		ug/L		
PCB 52	<0.00110		ug/L		
PCB 101	<0.000750		ug/L		

The report was prepared by:
Emilia Czarnik

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica**Report n° 42658/2024-EN Page 6/8**
Correction of Previous Reports 42658/2024-EN

Issue Date: 16-05-2024

Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client n.º: PL1282Dear Sir
Naleczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24****Product:** Water - Natural mineral water, Perlage source**Packaging:** glass bottle**Capacity:** 500ml**Temperature at Reception:** 5.4 °C**Comments :** Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.**Temperature at the time of sampling:** 9.7

Sample condition at reception was correct

Collection Time: 8:30**Sample collected by::** Monika Kuś

Sampling plan: outside the plan.

Assay Method	Result	U	Unit	L.V.	S.C.
PCB 118	<0.00110		ug/L		
PCB 138	<0.00120		ug/L		
PCB 153	<0.00110		ug/L		
PCB 180	<0.000950		ug/L		
Suma 6 PCB	<0.00620		ug/L		
Suma 7 PCB	<0.00730		ug/L		
(a) Organochlorine pesticides CZ_SOP_D06_03_169 except for chapter 10.1 (CSN EN ISO 6468, US EPA 8081, DIN 38407-3)	Results in attachment		ug/L		

The report was prepared by:
Emilia Czarnik

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**

Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica

Report n° 42658/2024-EN Page 7/8
Correction of Previous Reports 42658/2024-EN

Issue Date: 16-05-2024

Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client n.º: PL1282

Dear Sir
Nałęczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24**

Product: Water - Natural mineral water, Perlage source

Packaging: glass bottle

Capacity: 500ml

Temperature at Reception: 5.4 °C

Comments : Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.

Temperature at the time of sampling: 9.7

Sample condition at reception was correct

Collection Time: 8:30

Sample collected by:: Monika Kuś

Sampling plan: outside the plan.

This report cancels and replaces report n° 41079/2024-EN.

CZ_SOP_D06_07_372: ID was evaluated from activity concentrations of Ra-226 and Ra-228

CZ_SOP_D06_02_068: particular sample(s) required dilution due to high conductivity of the sample(s). LOR values have been adjusted accordingly.

CZ_SOP_D06_07_363.C: The original sample containers contains a head-space.

Information in the sample identification data shown by underlining was provided by the Client.

Criteria: [85] - REGULATION OF THE MINISTER OF HEALTH of March 31, 2011 on natural mineral waters, spring waters and

The decision rule applied for statement of conformity: simple acceptance (risk: probability of false accept and probability of false reject up to 50%).

PB - 477 Issue I dated 01.04.2021: The test falls under the scope of accreditation No. AB 079

PN-EN 903:2002: The test falls under the scope of accreditation No. AB 079

PN-EN ISO 10523:2012: The analysis is included in the accreditation scope AB 1711

ISO 15923-1:2013: The analysis is included in the accreditation scope AB 1711

PN-EN 27888:1999: The analysis is included in the accreditation scope AB 1711

PN-EN ISO 11885:2009: The test falls under the scope of accreditation No. AB 079

The report was prepared by:

Emilia Czarnik

**ALS FOOD & PHARMACEUTICAL POLSKA Sp. z o.o.**

Laboratorium mikrobiologiczne Oddział w Krakowie
ul. Częstochowska 61, 32-085 Modlnica

Report n° 42658/2024-EN Page 8/8
Correction of Previous Reports 42658/2024-EN

Issue Date: 16-05-2024

Analysis n.º: QH / 215 / 24
Sampling Date: 25-03-2024
Reception Date: 26-03-2024
Start Date: 29-03-2024
End Date: 09-05-2024
Client nº: PL1282

Dear Sir
Naleczów Zdrój Sp. z o. o.
Drzewce 35
Nałęczów
24-150

Unit: Nałęczów Zdrój Sp. z o. o.

Sample Identification**25952 / 24**

Product: Water - Natural mineral water, Perlage source

Packaging: glass bottle

Capacity: 500ml

Temperature at Reception: 5.4 °C

Comments : Purpose of the study: regulated area. Sampling method according to PN ISO 5667-5:2017-10, sampler authorised personnel of the Spa Analytical laboratory AB 1665. Place of sampling: production plant Drzewce 35, 24-150 Nałęczów.

Temperature at the time of sampling: 9.7

Sample condition at reception was correct

Collection Time: 8:30

Sample collected by:: Monika Kuś

Sampling plan: outside the plan.

Notes

List of Abbreviations: LQ- Limit of quantification; LD- limit of detection; L.V.- Limit Value; R.V.- Recommended Value, P.V.- Parametric Value; C- Conform, A- Acceptable, NC- Nonconform; Unit. - Unit, U- uncertainty of measurements; S.C.- Statement of conformity.

The uncertainty of measurements was estimated only for the measurement of the certain analytical method. The uncertainty given is the expanded uncertainty, obtained by multiplying the standard uncertainty and the coverage factor $k=2$, which provides the approximate confidence level of 95%.

The test marked with (s) was subcontracted and not accredited.

The test marked with (a) is accredited and was performed in the ALS Czech laboratory, according to the scope of accreditation No. 1163 or in another ALS laboratory / subcontractor, according to the scope of accreditation indicated for each research method above.

The tests marked with * are not included in the scope of accreditation. The sample collection performed is not included in the scope of accreditation.

This test report refers only to samples analyzed.

The sampling is not included in accreditation scope.

This document was generated automatically. The partial reproduction of this report is prohibited.

The report was prepared by:

Emilia Czarnik

End of the report



CERTIFICATE OF ANALYSIS

Work Order	: PO2402411-AC	Issue Date	: 10-May-2024
Amendment	: 3		
Customer	: ALS FOOD & PHARMACEUTICAL Sp. z o.o.	Laboratory	: ALS POLAND SP. Z O.O.
Contact	: ALS Kraków	Contact	: Client Service
Address	: Ul. Rubież 46E Poznań 61-612	Address	: Pawła Stalmacha 23 Skoczów Poland 43-430
E-mail	: ALSKrakow@alsglobal.com	E-mail	: info.pl@alsglobal.com
Telephone	: ----	Telephone	: +48338530018
Project	: ----	Page	: 1 of 4
Order number	: ----	Date Samples Received	: 29-Mar-2024
		Quote number	: PO2021FOODA-PL0001 (ALS-PL-21-0219)
Site	: ----	Date of test	: 29-Mar-2024 - 09-May-2024
Sampled by	: client	QC Level	: ALS PL Standard Quality Control Schedule

General Comments

The laboratory declares that the test results relate only to the items tested and do not substitute any other documents.
The test report without the written consent of the Laboratory may not be reproduced otherwise than in its entirety.
The customer has the right to lodge a complaint within 14 days of receiving the report.
Due to the nature of the samples, it is not possible to repeat the tests on the same material.
The laboratory is not responsible for the sampling, transport and cleanliness of the containers in case of a sample collected and provided by the customer.
Accredited test methods are marked with the symbol A, non-accredited test methods are marked with the symbol N. Accredited subcontracted test methods are marked with the symbol SA, non-accredited subcontracted test methods are marked with the symbol SN.
Method W-TID-EVAL: ID was evaluated from activity concentrations of Ra-226 and Ra-228
Sample(s) PO2402411/001,002: method W-ANI-ENV – particular sample(s) required dilution due to high conductivity of the sample(s). LOR values have been adjusted accordingly.
Sample(s) PO2402411/001,002 : Method W-RN222LSC: The original sample containers contains a head-space.
Sample(s) PO2402411/001: method W-RN222LSC: The LOR is higher due to measurement of sample after more than 12 days from sampling date.
Amendment No.1 - The report was split. This Amendment No. 1 replaces the original report issued on 17.04.2024
Amendment No.2 - Units has been changed. This Amendment No. 2 replaces Amendment No. 1 issued on 29.04.2024
Amendment No.3- The report has been translated. This Amendment No. 3 replaces Amendment No. 2 issued on 09.05.2024

Responsible for accuracy

ALS Poland Sp. z o.o.

ul. Stalmacha 23
43-430 Skoczów
NIP: 5252399725
REGON: 141027171



Signatories

Grazyna Saletowicz

Position

Laboratory Manager

Issue Date : 10-May-2024
Page : 2 of 4
Work Order : PO2402411-AC Amendment 3
Customer : ALS FOOD & PHARMACEUTICAL Sp. z o.o.





Analytical Results

Sub-Matrix: DRINKING WATER				Client sample ID			Laboratory sample ID			Client sampling date / time		
				QH/215/2024 - Woda - Naturalna woda mineralna, źródło Perlage			----			----		
				PO2402411002			----			----		
				25-Mar-2024 08:30			----			----		
Parameter	Method	LOR	Unit	Result	MU	AK	Result	MU	AK	Result	MU	AK
Organochlorine Pesticides												
Hexachloroethane	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Hexachlorobutadiene	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
1.2.3.5- & 1.2.4.5-Tetrachlorobenzene	W-OCPECD01	0.02	µg/L	<0.020	---	SA	----	---	---	----	---	---
1.2.3.4-Tetrachlorobenzene	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Pentachlorobenzene	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Trifluralin	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Hexachlorocyclohexane Alpha	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Hexachlorobenzene (HCB)	W-OCPECD01	0.005	µg/L	<0.0050	---	SA	----	---	---	----	---	---
Hexachlorocyclohexane Beta	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Hexachlorocyclohexane Gamma	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Hexachlorocyclohexane Delta	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Hexachlorocyclohexane Epsilon	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Alachlor	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Heptachlor	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Aldrin	W-OCPECD01	0.005	µg/L	<0.0050	---	SA	----	---	---	----	---	---
Telodrin	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Isodrin	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Heptachloroepoxide-cis	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Heptachloroepoxide-trans	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
2,4-DDE	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
alpha-Endosulfan	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
4,4'-DDE	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Dieldrin	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
2,4-DDD	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Endrin	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
beta-Endosulfan	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
4,4'-DDD	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
2,4-DDT	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
4,4'-DDT	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Methoxychlor	W-OCPECD01	0.01	µg/L	<0.010	---	SA	----	---	---	----	---	---
Dichlobenil	W-OCPECD01	0.05	µg/L	<0.050	---	SA	----	---	---	----	---	---
Sum of 3 tetrachlorobenzenes	W-OCPECD01	0.03	µg/L	<0.030	---	SA	----	---	---	----	---	---
Sum of 4 hexachlorocyclohexanes	W-OCPECD01	0.04	µg/L	<0.040	---	SA	----	---	---	----	---	---
Sum of 4 isomers DDT	W-OCPECD01	0.04	µg/L	<0.040	---	SA	----	---	---	----	---	---
Sum of 6 isomers DDT	W-OCPECD01	0.06	µg/L	<0.060	---	SA	----	---	---	----	---	---
Sum of endosulfanes	W-OCPECD01	0.02	µg/L	<0.020	---	SA	----	---	---	----	---	---
Sum of 5 hexachlorocyclohexanes	W-OCPECD01	0.05	µg/L	<0.050	---	SA	----	---	---	----	---	---
Sum of 25 OCPs + 3 CBs	W-OCPECD01	0.27	µg/L	<0.270	---	SA	----	---	---	----	---	---
Sum of 27 OCPs + 3 CBs	W-OCPECD01	0.29	µg/L	<0.290	---	SA	----	---	---	----	---	---
Sum of 29 OCPs + 3 CBs	W-OCPECD01	0.35	µg/L	<0.350	---	SA	----	---	---	----	---	---
Dicofol	W-OCPECD01	0.03	µg/L	<0.030	---	SA	----	---	---	----	---	---
Quintozene & Pentachloroaniline	W-OCPECD01	0.02	µg/L	<0.020	---	SA	----	---	---	----	---	---



Sub-Matrix: DRINKING WATER

Client sample ID

QH/215/2024 - Woda -
Naturalna woda
mineralna, źródło
Perlage

Laboratory sample ID
Client sampling date / time

PO2402411002

25-Mar-2024 08:30

Parameter	Method	LOR	Unit	Result	MU	AK	Result	MU	AK	Result	MU	AK
Organochlorine Pesticides - Continued												
Endrin ketone	W-OCPECD01	0.03	µg/L	<0.030	---	SA	----	---	---	----	---	---
Endrin aldehyde	W-OCPECD01	0.03	µg/L	<0.030	---	SA	----	---	---	----	---	---

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. If no sampling date is provided, the sampling date will be assumed by the laboratory and displayed in brackets without a time component. Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor $k = 2$, representing 95% confidence level.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
W-OCPECD01	CZ_SOP_D06_03_169 except chap. 10.1 (ČSN EN ISO 6468, US EPA 8081, DIN 38407-3) Determination of organochlorine pesticides and other halogen compounds by gas chromatography method with ECD detection and calculation of organochlorine pesticides and other halogen compounds sums from measured values [Subcontracted - ALS Czech Republic - Prague - laboratory number: 1163]

The method for calculating of the summation parameters is available on request in the customer service.

Responsible for the Results Authorisation

Authorised by:	Authorised Method(s)	Signature
Martyna Szczepaniak	W-OCPECD01	

--End of the report--